L Number	Hits	Search Text	DB	Time stamp
1	1259	<pre>@ad<=20001107 and (reference adj (voltage or receiver)) and comparator and 375/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/27 12:23
2	718	@ad<=20001107 and (reference adj (voltage or receiver)) and comparator and capacitor and 375/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 12:24
3	5	<pre>@ad<=20001107 and (reference adj (voltage or receiver)) and comparator and capacitor and singal and 375/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 12:25
4	713	<pre>@ad<=20001107 and (reference adj (voltage or receiver)) and comparator and capacitor and signal and 375/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 12:25
5	105	<pre>@ad<=20001107 and (reference adj (voltage or receiver)) and comparator and capacitor and signal and distributed and 375/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 12:26
-	0	<pre>@ad<=20001107 and (pseudo adj differential adj voltage) and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 09:12
-	6	@ad<=20001107 and (reference adj receiver) and 326/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 10:52
-	2697	@ad<=20001107 and (reference adj voltage) and 326/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/23 10:53
-	498	@ad<=20001107 and (reference adj voltage) and comparator and 326/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23
-	0	@ad<=20001107 and (unditributed adj reference adj voltage) and comparator and 326/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 10:56
-	0	<pre>@ad<=20001107 and (undistributed adj reference adj voltage) and comparator and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 10:56
	0	@ad<=20001107 and (distributed adj reference adj voltage) and comparator and 326/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 10:56
_	8	<pre>@ad<=20001107 and (reference adj voltage) and comparator and (buffer adj voltage) and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 10:57
-	124	@ad<=20001107 and (reference adj voltage) and comparator and (signal adj voltage) and 326/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23

-	19123	<pre>@ad<=20001107 and (reference adj voltage) and comparator and (signal adj voltage) abd buffer and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/23 11:44
_	55		IBM_TDB USPAT;	2004/02/23 12:26
		and comparator and (signal adj voltage) and buffer and 326/\$.ccls.	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	12:20
-	13	<pre>@ad<=20001107 and (reference adj voltage adj generator) and comparator and (signal adj voltage) and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 13:24
_	1623	<pre>@ad<=20001107 and (FET or (field adj effect adj transistor)) and capacitance and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 13:25
-	135	<pre>@ad<=20001107 and (FET or (field adj effect adj transistor)).ti. and capacitance and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 13:27
-	30	<pre>@ad<=20001107 and (FET or (field adj effect adj transistor)).ti. and capacitance and (reference adj (buffer or line or voltage)) and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 13:46
-	82	<pre>@ad<=20001107 and (FET or (field adj effect adj transistor)) and (signal with capacitance) and (reference with capacitance) and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23
-	0	<pre>@ad<=20001107 and (FET or (field adj effect adj transistor)) and (signal adj capacitance) and (reference adj capacitance) and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 14:06
-	2	<pre>@ad<=20001107 and (FET or (field adj effect adj transistor)).ti. and (signal with capacitance) and (reference with capacitance) and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 13:49
_	7	<pre>@ad<=20001107 and ((FET or (field adj effect adj transistor)) same (signal with capacitance) same (reference with capacitance)) and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 14:05
-	2	<pre>@ad<=20001107 and (FET or (field adj effect adj transistor)) and (signal adj capacitance) and (reference adj capacitance)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/23 14:06
_	24	<pre>@ad<=20001107 and (reference adj generator) and comparator and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/27 12:22
-	292	@ad<=20001107 and (reference adj generator).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/26 10:31
_	1	<pre>@ad<=20001107 and (reference adj generator).ti. and 326/\$.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/26 10:29

	47	@ad<=20001107 and (reference adj	USPAT;	2004/02/26
		generator).ti. and comparator	US-PGPUB;	10:31
		•	EPO; JPO;	
			DERWENT;	
			IBM TDB	1
.	2	("5578939").PN.	USPĀT;	2004/02/26
		, ,	US-PGPUB;	11:15
			EPO; JPO;	
			DERWENT;	
			IBM TDB	